OM3 SC/UPC-SC/UPC SIMPLEX MULTIMODE FIBRE OPTIC...


Fiber Optic Adapters

ARTICLE CODE WPC-FA3-SC0200

OM3 SC/UPC-SC/UPC Simplex multimode fibre optic adapter, with plastic material housing in aqua. Professional Line with zirconia ceramic alignment sleeve, IL ? 0.15 dB and RL ? 50 dB.

The SC/UPC-SC/UPC WP CABLING Professional Line fibre optic adapter is designed for professional installations requiring stable mating and low insertion loss.

The OM3 multimode simplex configuration uses a plastic material housing and a zirconia ceramic alignment sleeve designed to promote precise ferrule alignment.



OM3	SC Simplex	Multimode
CATEGORY	CONNECTOR TYPE A	FIBER TYPE

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPC-FA3-SC0200

Technical data

CATEGORY	OM3
CONNECTOR TYPE A	SC Simplex
CONNECTOR TYPE B	SC Simplex
FIBER TYPE	Multimode

Applications

- Fibre optic patch panels
- ODFs and optical distribution systems
- Structured cabling

Main features

- Interface: SC/UPC-SC/UPC
- Configuration: Simplex
- Mode: multimode
- Housing: plastic material
- Alignment sleeve: zirconia ceramic
- Insertion loss: ? 0.15 dB
- Return loss: ? 50 dB
- More than 500 mating cycles
- Operating temperature: -25 °C / +70 °C
- Benefits:
- Precise ferrule alignment
- Low insertion loss

PRODUCT IDENTIFICATION

Code: WPC-FA3-SC0200

EAN: 8054392615757

ONLINE PRODUCT PAGE

Scan the QR code

Main features

- Stable mating over time