DUPLEX OM5 MULTIMODE 50/125 ?M OPTICAL FIBRE PA...

# Fiber Optic Patch Cables

1 m

**ARTICLE CODE** WPC-FP5-5LCLC-010UP

Duplex OM5 multimode 50/125 µm optical fibre patch cord with Uniboot construction, LC/UPC-LC/UPC Push-Pull connectors and a lime green LSZH sheath. Two fibres in one 2.0 mm sheath, ideal for high-density cabling. Length: 1 m.

The WP CABLING Duplex OM5 Uniboot optical fibre patch cord is designed for high-density cabling in data centres and network infrastructures.

The Uniboot construction integrates two fibres into a single LSZH sheath with an external diameter of 2.0 mm, reducing bulk and congestion compared with traditional Duplex patch cords with two sheaths. This construction provides up to 70% space savings compared with traditional Duplex patch cords with two sheaths and is ideal for high-density optical installations.



**LSZH**
JACKET

**1 m**
LENGTH

**OM5**
CATEGORY

**LC Duplex**
CONNECTOR TYPE A

**Multimode**
FIBER TYPE

**PROFESSIONAL TECHNICAL DATASHEET**

# Technical information

WPC-FP5-5LCLC-010UP

## Technical data

| | |
|---|---|
| LENGTH | 1 m |
| CATEGORY | OM5 |
| CONNECTOR TYPE A | LC Duplex |
| CONNECTOR TYPE B | LC Duplex |
| JACKET | LSZH |
| FIBER TYPE | Multimode |

## Applications

- Data centres
- High-density optical cabling
- Fibre optic patch panels
- Connections between network equipment
- Infrastructures where reducing cable bulk is important

## Main features

- OM5 multimode optical fibre
- Fibre: 50/125 µm
- Duplex configuration
- Uniboot construction with 2 fibres in one sheath
- External diameter: 2.0 mm
- Connectors: LC/UPC-LC/UPC
- Push-Pull system
- Sheath: LSZH
- Colour: lime green
- Polarity reversal without tools
- Length: 1 m
- Standard: DIN EN 50173-1

**PRODUCT IDENTIFICATION**

Code: WPC-FP5-5LCLC-010UP

EAN: 8052101432831

**ONLINE PRODUCT PAGE**

Scan the QR code

# Main features

- Standard: ISO/IEC 11801