RJ45 UTP CAT. 6 KEYSTONE JACK, 180°, DUAL IDC T…

Keystone Modules

black

ARTICLE CODE WPC-KEY-6U-180/BL

RJ45 UTP Cat. 6 keystone jack, 180°, Dual IDC termination, up to 250 MHz, black, with dust cover.

The WP CABLING Cat. 6 RJ45 UTP keystone jack is designed for structured cabling installations in patch panels, wall plates and compatible keystone supports.

The 180° Dual IDC termination uses T568A/T568B colour coding for neat and reliable termination. The dust cover protects the IDC area after installation.



250 MHz BANDWIDTH	**black** COLOR	**6** CATEGORY
RJ45 CONNECTOR TYPE A	**UTP** SHIELDING	

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPC-KEY-6U-180/BL

Technical data

COLOR	black
CATEGORY	6
CONNECTOR TYPE A	RJ45
SHIELDING	UTP

Applications

- Applications section not available in the product description.

Main features

- Category: Cat. 6
- Performance: up to 250 MHz, 1GBase-T
- RJ45 female, 8P8C
- UTP unshielded
- 180° Dual IDC termination
- T568A/T568B colour code
- IDC dust cover
- Compatible conductors: 23–26 AWG
- RJ45 mating cycles: over 750
- IDC termination cycles: over 200
- Rated voltage: 125 VAC RMS
- Rated current: 1.5 A

PRODUCT IDENTIFICATION

Code: WPC-KEY-6U-180/BL

EAN: 8056045879011

ONLINE PRODUCT PAGE

Scan the QR code

Main features

- Contact resistance: below 100 m?
- Insulation resistance: above 1000 M? at 500 VDC
- Dielectric strength: 750 VAC RMS, 60 Hz, 1 min
- Storage temperature: -40 °C / +85 °C
- Operating temperature: 0 °C / +70 °C
- Colour: black