19" RNB SERIES NETWORK RACK CABINET, 42U 600×60…

Network Cabinets

black

ARTICLE CODE WPN-RNB-42606-B

19" RNB series network rack cabinet, 42U 600×600 mm, supplied assembled, with clear tempered glass front door, 4 depth-adjustable mounting rails and load capacity up to 500 kg.

The WP RACK RNB series network rack cabinet is the entry-level solution for IT and networking installations requiring a reliable, easy-to-manage structure with an excellent balance between functionality and cost.

The supporting frame is made from 1.5 mm steel, with 0.8 mm steel panels. The clear tempered glass front door is reversible, opens up to 180° and is fitted with a handle and key lock.



2055 mm HEIGHT	**600 mm** WIDTH	**black** COLOR
42 UNIT	**Assembled** PROVIDED	**Floor-standing** INSTALLATION

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPN-RNB-42606-B

Technical data

HEIGHT	2055 mm
WIDTH	600 mm
DEPTH	600 mm
COLOR	black
UNIT	42
PROVIDED	Assembled
INSTALLATION	Floor-standing

Applications

- Enterprise networks, IT installations, telecommunications, video surveillance and professional applications requiring a reliable and cost-effective rack solution.

Main features

- WP RACK RNB series 19" network rack cabinet
- Height: 42U
- Dimensions WxDxH: 600×600×2055 mm
- Supplied assembled
- 1.5 mm steel supporting frame
- 0.8 mm steel panels
- Clear tempered glass front door, reversible, opening up to 180°
- Front handle with key lock
- Removable side panels without locks
- Removable rear door
- 4 numbered 19" mounting rails, depth adjustable
- Top and bottom cable entries with covers

PRODUCT IDENTIFICATION

Code: WPN-RNB-42606-B

EAN: 8056045878922

ONLINE PRODUCT PAGE

Scan the QR code

Main features

- Roof preparation for 120 mm fans or ventilation kit, not included
- Load capacity up to 500 kg
- 4 casters, 2 with brakes
- 4 leveling feet
- Earthing kit not included
- 20 sets of screws and cage nuts included
- Weight: 82.6 kg
- Colour: black RAL 9005
- IP20 protection rating

Additional details

Front door

The clear tempered glass front door allows visual inspection of installed equipment. The reversible design and opening up to 180° simplify installation and maintenance.

Rear door

The removable rear door simplifies access to cabling and equipment during installation and maintenance.