RNS SMART SERIES 19" FLOOR-STANDING RACK CABINE...

Network Cabinets

black

ARTICLE CODE WPN-RNS-171202-G

RNS SMART series 19" floor-standing rack cabinet up to 17U, only 250 mm external depth, with horizontal and vertical equipment mounting, grey RAL 7035.

The innovative WP RACK RNS SMART series is designed for installations where available space does not allow the use of a conventional floor-standing rack cabinet. With an external depth of only 250 mm and a height of just 530 mm, it can be installed in corridors, stairwells and technical areas where minimizing footprint is essential.

Its special internal layout combines horizontal and vertical equipment mounting to make the best possible use of the available space.



530 mm HEIGHT	**1236 mm** WIDTH	**250 mm** DEPTH
black COLOR	**17** UNIT	**Assembled** PROVIDED

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPN-RNS-171202-G

Technical data

HEIGHT	530 mm
WIDTH	1236 mm
DEPTH	250 mm
COLOR	black
UNIT	17
PROVIDED	Assembled
INSTALLATION	Floor-standing

Applications

- Corridors, stairwells, offices, technical areas and network installations where 19" equipment must fit into a very limited space without sacrificing capacity or accessibility.

Main features

- WP RACK RNS SMART series 19" floor-standing rack cabinet
- Configuration up to 17U
- Dimensions WxDxH: 1236×250×530 mm
- External depth: 250 mm
- 2 mm steel supporting structure
- 1.5 mm steel panels
- Steel door with double key lock
- Rear and bottom cable entry
- Load capacity up to 200 kg
- 2 depth-adjustable rails in the left section
- 2 extractable rails on ball-bearing slides, 30 kg load capacity
- 200 mm deep shelf included

PRODUCT IDENTIFICATION

Code: WPN-RNS-171202-G

EAN: 8052101433296

ONLINE PRODUCT PAGE

Scan the QR code

Additional details

Main features - continued

- 2 included 3U 19" adapter brackets
- 6 leveling feet
- 20 sets of screws and cage nuts included
- Weight: 33.5 kg
- Configuration: 9 + 1 + 7 horizontal units or 3 vertical units in the right section
- Colour: grey RAL 7035
- IP20 protection rating

Internal configuration

- 9 horizontal rack units in the left section for cabling and 19" equipment
- 1 central rack unit for a PDU, patch panel or cable-management accessories
- 7 horizontal rack units in the right section
- Alternatively, 3 vertical rack units on extractable rails for equipment up to 370 mm deep
- Using the vertical rails prevents simultaneous use of the 7 horizontal units in the right section, and vice versa

The two extractable rails are mounted on ball-bearing slides and support up to 30 kg. Two 3U 19" adapter brackets for vertical equipment mounting and one 200 mm deep shelf are also included.

The 2 mm steel supporting structure, 1.5 mm steel panels, steel door with double key lock and six leveling feet make the RNS SMART series a compact yet robust solution for professional installations.