COMPACT PROFESSIONAL 19" SERVER RACK CABINET RS...

Server Cabinets

black

ARTICLE CODE WPN-RSB-15608-B

Compact professional 19" server rack cabinet RSB 15U 600×800 mm with perforated steel doors, supplied assembled for offices, professional studios and compact IT installations that need more capacity.

The WP RACK RSB professional 19" server rack cabinet is designed for compact IT deployments that need greater capacity while keeping a limited overall height. Its 15U format is especially suitable for under-window placement or other spaces where vertical obstruction should be minimized.

The cabinet is supplied assembled and combines a 2 mm steel load-bearing frame with 1.5 mm steel panels and doors, a load capacity up to 800 kg, lockable removable side panels, four numbered depth-adjustable 19" rails, top and bottom cable entries, preparation for 120 mm fans, four castors, four leveling feet, a grounding kit and 20 cage nut and screw sets.



825 mm HEIGHT	**600 mm** WIDTH	**800 mm** DEPTH
black COLOR	**15** UNIT	**Assembled** PROVIDED

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPN-RSB-15608-B

Technical data

HEIGHT	825 mm
WIDTH	600 mm
DEPTH	800 mm
COLOR	black
UNIT	15
PROVIDED	Assembled
INSTALLATION	Floor-standing

Applications

- Small offices, professional studios, retail points of sale and compact IT installations where space is limited. Thanks to its 15U format, it is especially suitable for under-window placement or other low-clearance areas where vertical obstruction should be minimized.

Main features

- Professional 19" server rack cabinet
- Height: 15U
- Overall dimensions: 600×800×825 mm
- Weight: 106.7 kg
- Perforated steel front door
- Perforated steel rear door
- Heavy-duty 2 mm steel frame
- 1.5 mm steel doors and panels
- Maximum load capacity: 800 kg
- Four numbered depth-adjustable 19" mounting rails
- Lockable removable side panels
- Top and bottom cable entries with removable covers

PRODUCT IDENTIFICATION

Code: WPN-RSB-15608-B

EAN: 8054392615542

ONLINE PRODUCT PAGE

Scan the QR code

Main features

- Ready for 120 mm ventilation fans
- Supplied assembled
- Four castors (2 with brakes) and four leveling feet
- Grounding kit included
- Black RAL 9005 finish
- 20 cage nut and screw sets included
- IP20 protection rating