PROFESSIONAL 19" SERVER RACK CABINET RSB 27U 60…

Server Cabinets

black

ARTICLE CODE WPN-RSB-27610-BS

Professional 19" server rack cabinet RSB 27U 600×1000 mm with perforated steel front and rear doors, supplied unassembled in flat-pack version for IT applications, data centers and server rooms.

The WP RACK RSB professional server rack cabinet is designed for IT applications, data centers and server rooms that require structural strength, high ventilation and maximum reliability. The perforated steel front door and the perforated steel rear door promote airflow for cooling active equipment while maintaining practical access to the installed devices.

The load-bearing frame is made from 2 mm steel, while the panels and doors are made from 1.5 mm steel, ensuring high rigidity and a load capacity of up to 800 kg. Lockable removable side panels, lockable doors and four numbered depth-adjustable 19" mounting rails make it possible to install servers, UPS systems, storage, switches and network equipment in an orderly and secure way.



1388 mm HEIGHT	**600 mm** WIDTH	**1000 mm** DEPTH
black COLOR	**27** UNIT	**Unassembled** PROVIDED

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPN-RSB-27610-BS

Technical data

HEIGHT	1388 mm
WIDTH	600 mm
DEPTH	1000 mm
COLOR	black
UNIT	27
PROVIDED	Unassembled
INSTALLATION	Floor-standing

Applications

- Data centers, server rooms, professional IT infrastructure, telecommunications and enterprise installations that require high load capacity and strong equipment ventilation.

Main features

- Professional 19" server rack cabinet
- Height: 27U
- Dimensions: 600 × 1000 mm
- Perforated steel front door
- Perforated steel rear door
- Heavy-duty 2 mm steel frame
- 1.5 mm steel doors and panels
- Maximum load capacity: 800 kg
- Four numbered depth-adjustable 19" mounting rails
- Lockable removable side panels
- Top and bottom cable entries with removable covers
- Ready for 120 mm ventilation fans

PRODUCT IDENTIFICATION

Code: WPN-RSB-27610-BS

EAN: 8056045875594

ONLINE PRODUCT PAGE

Scan the QR code

Additional details

Main features - continued

- Supplied unassembled in flat-pack version
- Four castors (2 with brakes) and four leveling feet
- Grounding kit included
- Black RAL 9005 finish
- 20 cage nut and screw sets included
- IP20 protection rating

Front Door

The perforated steel front door improves airflow across the rack and helps cool the installed equipment. The lock protects the equipment against unauthorized access.

Rear Door

The perforated steel rear door supports correct airflow inside the cabinet and keeps the interior easy to access for installation and maintenance.