19" RWO SERIES INDUSTRIAL WALL MOUNT RACK CABIN...

IP55 Outdoor Cabinets

grey

ARTICLE CODE WPN-RWO-15606-G

19" RWO series industrial wall mount rack cabinet, 15U, 600 mm deep, IP55 protection rating. Welded steel construction, steel door with dust filter and ventilation kit with 2 fans already mounted on the roof and included.

WP RACK RWO series industrial wall mount rack cabinets are designed for IT and networking installations in harsh environments and outdoor applications where a high level of protection against dust, rain, snow and water splashes is required.

The fully welded steel construction, made from sheet steel up to 2 mm thick, provides high mechanical strength and protection for installed equipment. The IP55 protection rating makes the RWO series suitable for exposed and industrial environments.



733 mm HEIGHT	**600 mm** WIDTH	**grey** COLOR
15 UNIT	**Assembled** PROVIDED	**Wallmount** INSTALLATION

PROFESSIONAL TECHNICAL DATASHEET

Technical information

WPN-RWO-15606-G

Technical data

HEIGHT	733 mm
WIDTH	600 mm
DEPTH	600 mm
COLOR	grey
UNIT	15
PROVIDED	Assembled
INSTALLATION	Wallmount

Applications

- Applications section not available in the product description.

Main features

- WP RACK RWO series 19" industrial wall mount rack cabinet
- Height: 15U
- Depth: 600 mm
- Protection rating: IP55
- Fully welded steel construction up to 2 mm
- Steel front door with ventilation slots and dust filter
- 2 weather-resistant locks
- Door opening angle: 110°
- Ventilation kit included and already mounted on the roof
- 2 fans with dust filters and Schuko plug
- Bottom cable entries: 2x M32, 1x M63, 2x PVC blind plugs Ø 28 mm
- 4 numbered 19" mounting rails, depth adjustable

PRODUCT IDENTIFICATION

Code: WPN-RWO-15606-G

EAN: 8052101434170

ONLINE PRODUCT PAGE

Scan the QR code

Main features

- Lateral cable guide rings on the front rails
- Earthing kit included
- Wall mounting kit included: 4 M8x100 expansion screws
- Load capacity up to 100 kg
- 24 sets of screws and cage nuts included
- Dimensions WxDxH: 600x600x733 mm
- Weight: 26 kg
- Colour: light grey RAL 7035
- Electrostatic polyester powder coating with TGIC

Additional details

Standards

Compliant with IEC297-2, DIN41491, BSI5954, DIN41494, EXT ANSI/EIARS-310-D and GB/T3047.2-92BZ. Compatible with international 19" and metric standards.